




Ø25 CAM

1	CAMS AND COVERS		200
<hr/>			
2	BOLTS		201
<hr/>			
3	NUTS		202


Ø25 SNAIL CAM

1	CAMS AND COVERS		<i>pp.</i> 204
<hr/>			
2	BOLTS		205
<hr/>			
3	NUTS		206


1 CAMS AND COVERS


Cover Ø25 mm.

			
White	RAL 9003	530.400.006	
Brown	RAL 8016	530.400.010	2.000
Black	RAL 9005	530.400.021	
Gray	RAL 7040	530.400.312	
Nickel-plated		530.400.065	1.000






Cover with lugs Ø25 mm.

			
White	RAL 9003	530.100.001	
Brown	RAL 8016	530.100.012	2.000
Black	RAL 9005	530.100.023	



Cam Ø25 mm.

			
Natural		510.011.106	2.000



2 BOLTS



Wood threaded bolt.

Drilling distance 33mm.

Zinc-coated

520.839.034

2.000





Bolt M6.

Drilling distance 33mm.

Zinc-coated

520.735.036

2.000





Twin bolt.

Zinc-coated

522.077.032

1.000





Twin angle bolt.

Zinc-coated


522.100.036


1.000




3 NUTS

Steel wood-threaded nut without head.


Zinc-plated					
L (mm.)	Ød(mm.)	ØD (mm.)	1/4"	M6	
10	8	10	947.510.034	947.810.032	2.500
12	8	10	947.512.031	947.812.036	2.000
14	8	10	947.514.035	947.814.033	2.000
18	8	10	947.518.036	947.818.034	2.000
22	8	10	947.522.030	947.822.035	2.000
10	9	12	947.610.031	947.910.036	2.000
12	9	12	947.612.035	947.912.033	2.000
14	9	12	947.614.032	947.914.030	2.000
16	9	12	947.616.036	947.916.034	2.000
18	9	12	947.618.033	947.918.031	2.000

L (mm.)	Ød(mm.)	ØD (mm.)	M8	
22	11	14	948.222.030	1.500




Expanding brass nut.

M4			
944.805.105			2.000 or 10.000





M6 self-expanding.

M6			
Ø8 x 12mm.	944.112.105		5.000







Wing nut.

1/4"		M6		
Nickel-plated	948.813.062			2.000
Zinc-plated		948.913.033		





Wing nut with head.

M4	1/4"	M6	M8	
Nickel-plated	948.613.061			2.000
Zinc-plated	948.413.034	948.713.032	948.575.036	





M4 nylon knock-in nut for Ø8.

				
Natural		937.004.106		2,000 or 10,000
Brown	RAL 8016	937.004.014		




Nylon knock-in nut for Ø10.

R	M6	1/4"		
Natural	937.006.103	937.014.105		2,000 or 10,000
Brown	RAL 8016 937.006.011	937.014.013		
Black	RAL 9005 937.006.022	937.014.024		




Nylong knock-in nut for Ø11.


R	M6	1/4"		
Natural	937.106.100	937.114.102		4,000
Brown	RAL 8016 937.106.015	937.114.010		




M6 nylon knock-in nut for Ø10, in strips.


				
Natural		937.406.105		4,800
Brown	RAL 8016	937.406.013		
Black	RAL 9005	937.014.024		

Every box contains 200 strips.
The strips come with 24 units, and they may be placed manually or by means of a pneumatic gun with a charger.




M6 steel ribbed knock-in nut.


L	16mm.	18mm.		
Zinc-plated	938.716.100	938.718.104		1,000 or 5,000




1 CAMS AND COVERS



Cover Ø25 mm.

				
White	RAL 9003	530.400.006		
Brown	RAL 8016	530.400.010	2.000	
Black	RAL 9005	530.400.021		
Gray	RAL 7040	530.400.312		
Nickel-plated		530.400.065	1.000	






Narrow snail cam Ø25 mm.

				
R				
Zinc-coated		510.308.035	2.000	



Widesnail cam Ø25 mm.

				
R				
Zinc-coated		510.211.030	1.000	



2 BOLTS



M6 eye bolt.

Drilling distance 33mm.

Zinc-coated

520.937.034

2.000





Double eye bolt.

Zinc-coated

521.079.031

1.000





Angle double eye bolt.

Zinc-coated


521.100.031


1.000




3 NUTS


Steel wood-threaded nut without head.


Zinc-plated					
L (mm.)	Ød(mm.)	ØD (mm.)	1/4"	M6	
10	8	10	947.510.034	947.810.032	2.500
12	8	10	947.512.031	947.812.036	2.000
14	8	10	947.514.035	947.814.033	2.000
18	8	10	947.518.036	947.818.034	2.000
22	8	10	947.522.030	947.822.035	2.000
10	9	12	947.610.031	947.910.036	2.000
12	9	12	947.612.035	947.912.033	2.000
14	9	12	947.614.032	947.914.030	2.000
16	9	12	947.616.036	947.916.034	2.000
18	9	12	947.618.033	947.918.031	2.000

L (mm.)	Ød(mm.)	ØD (mm.)	M8	
22	11	14	948.222.030	1.500




Expanding brass nut.

M4			
944.805.105			2.000 or 10.000





M6 self-expanding.

M6			
Ø8 x 12mm.	944.112.105		5.000







Wing nut.

1/4"		M6		
Nickel-plated	948.813.062			2.000
Zinc-plated		948.913.033		




Wing nut with head.

R	M4	1/4"	M6	M8	
Nickel-plated		948.613.061			2.000
Zinc-plated	948.413.034		948.713.032	948.575.036	





M4 nylon knock-in nut for Ø8.

			
Natural		937.004.106	2,000 or 10,000
Brown	RAL 8016	937.004.014	





Nylon knock-in nut for Ø10.

R	M6	1/4"	
Natural	937.006.103	937.014.105	2,000 or 10,000
Brown	RAL 8016 937.006.011	937.014.013	
Black	RAL 9005 937.006.022	937.014.024	




Nylong knock-in nut for Ø11.


R	M6	1/4"	
Natural	937.106.100	937.114.102	4,000
Brown	RAL 8016 937.106.015	937.114.010	




M6 nylon knock-in nut for Ø10, in strips.

			
Natural		937.406.105	4,800
Brown	RAL 8016	937.406.013	
Black	RAL 9005	937.014.024	

Every box contains 200 strips.
The strips come with 24 units, and they may be placed manually or by means of a pneumatic gun with a charger.



M6 steel ribbed knock-in nut.

L	16mm.	18mm.	
Zinc-plated	938.716.100	938.718.104	1,000 or 5,000

